GARAGE DOORS

Garage Door systems

Great to come home to!

Dura Roll
Steel Roller Garage Door

CE EN 14351-1

www.gdsdoors.eu

June 2015 Issue 1







Steel Roller



Golden Oak Foil Finish

Garage Door Systems has invested 20 years developing and perfecting DuraRoll, the UK and Ireland's no.1 single skin roller garage door. DuraRoll operates vertically and incorporates Garage Door Systems' uniquely attractive broad profile that lends itself perfectly to residential applications.

Colours & finishes





BS 08 B 29







Dura Roll Steel Roller Garage Door Steel Roller



Exceptional performance and build quality

The DuraRoll single skin roller door with its patented broad profile design offers exceptional performance combined with enhanced security and colour choice. Every door is made to measure for a perfect fit.





- Made with 0.5 gauge thick steel for extra strength.
- · Manual option has solid lock rods and a metal lock body making it extremely secure.
- Automated option is held closed by positive force and includes Evolution technology for secure operation & peace of mind.





- Bottom weather seal that compresses against the floor to help keep out draughts and debris.
- Guide tracks fit behind the garage opening and enclose the door curtain to help reduce draughts.





- CE marked for safety and tested to the latest European safety legislation.
- Force sensing automation stops and reverses on detection of an obstruction.
- · Lifting spring is out of reach within the door barrel.





- · Available with the world's number one remote control motor from LiftMastertm.
- LED courtesy light.
- Reliable and secure holds the door closed by positive force and includes Evolution technology for secure operation & peace of mind.






- Fitted behind the garage opening, it adds up to six inches of drive through width.
- · Vertical travel means the door has no "kickout" and enables you to park right up to the garage door inside and out.
- · Spring assisted opening means manual opening is smooth and easy.





- · High grade materials and durable low maintenance finishes.
- Deeper guide tracks and 0.5 gauge steel door curtain add strength and better resistance to minor everyday knocks and bumps.





- Broad profile ribs are patented and unique to GDS. Deeper ribs suit a domestic setting better than narrow 'industrial' rib designs.
- Great choice of low maintenance, wipeclean Plastisol colours.



Light, smooth and quiet







Bottom Seal

 Robust rubber bottom seal secured in a corrosion resistant aluminium profile.



Steel Guides

The door curtain is protected with reinforced nyloflex webbing that ensures smooth running and is secured within full length galvanised steel quides.



Lock Bars

 Manual doors are held in the closed position via dual lock bars that fully engage through the steel guides.



Photo Eyes

 Non contact photo eyes are an optional safety feature. Once the infrared beam is broken the door automatically reverses providing additional safety.



Welded Brackets

 DuraRoll support brackets are substantially stronger than other doors - thicker steel and welded joints ensure strength and a powder coat finish neatens their appearance.



Enhanced Security

 Highly pick resistant steel lock barrel mechanism as standard on each DuraRoll steel roller door.



Lock Handle

 All DuraRoll steel roller doors are supplied with a handle and lock as standard.



Automation

 All single skin roller doors including the mini can easily be automated with the LiftMaster LM650 side mount motor.

- DuraRoll garage doors are available with the option of a LiftMaster remote control drive system.
- LiftMaster is the worldwide No.1 for garage door automation and control systems.
- The LiftMaster LM 650 Drive Motor has a 2 year warranty.
- Every automated door must be CE marked on completion of the installation, once all safety systems have been tested for sensitivity and the door and drive checked and properly commissioned. CE marking of the completed automated door system is the law (not just the individual components such as the door and drive).
- Garage Door Systems strongly recommends that you do not fit a door and operator that does not comply with the law, and that you do not purchase any product that will not be CE marked and tested for safe operation at your home - safety first!







and be home and dry.



Why leave the comfort and safety of your car when you can press a button











Wireless

station

wall control











LiftMaster's LM650 EVO has the power and performance to open even the largest door.

- LM650 EVO 500 Newton.
- Two 4-button mini transmitters with sliding cover, 433 MHz, LED battery indicator.
- 1 wireless control station to operate up to two doors.
- LED lighting rated to over 20 years of normal service. Automatically turns off 2.5 mins after door closing.
- Convenient pull cord to disconnect the door drive allowing manual operation of the door in case of power cut. Optional external disconnect available.
- Soft-start and soft-close.
- Durable direct drive maintenance-free, 12 Volt DC, motor gear.
- Safe force sensing automatically reverses upon meeting an obstruction.
- Secure the opener acts as a positive lock on your door.









Great Reasons for choosing a Garage Door Systems garage door

- Our Promise: The products we make are well designed, built to last and are a pleasure to use every day.
- All the garage doors we make come with our satisfaction promise and carry the performance and safety assurance of a CE mark.
- Every door is made to order and made to measure for the ideal fi











Up to TEN YEAR WARRANTY on all our garage doors







NI: Tel: 028 2565 5555 Fax: 028 2564 4030
UK Tel: 0870 242 3 242 Fax: 0800 085 2741
Rol Tel: 1850 510 510 Fax: 028 2564 4030
Email: info@gdsdoors.eu Web: www.gdsdoors.eu



Authorised Specialist